

Para Surfing Stand 1, 2, and 3

Surf Class/ Impairment	PS Stand 1	PS Stand 2	PS Stand 3
MMT	≤50/65 1 UE	≤40/60 1 LE AND ≥2 ankle motions ≤2/5 MMT	≤ 30/60 1 LE OR ≤ 80/120 BLE's AND ≥2 ankle motions ≤2/5 MMT
PROM	≥1/3 in 1 UE = ≥5/15 UE joint motions in the 33% impairment range	≥1/3 in 1 LE = ≥4/12 LE joint motions in the 33% impairment range AND ≥2 joints must be in the ankle in the 33% impairment range	≥1/2 in 1 LE = ≥6/12 LE joint motions in the 33% impairment range OR ≥1/3 in BLE's = ≥8/24 LE joint motions in the 33% impairment range AND ≥2 joints must be in the ankle in the 33% impairment range
Limb Deficiency	UE amputation or congenital, ∅ wrist or functional equivalent	BKA or congenital ∅ ankle or functional equivalent	AKA ∅ knee OR Bilateral BKA or congenital ∅ ankles or functional equivalent
Leg Length Difference	X	≥ 7 cm	≥ 12 cm
Short Stature	≤ 145 cm male ≤ 137 cm female	X	X
Hypertonia	≥ 2/4 MAS score in UE AND +Clonus OR +Hyperreflexia AND 4/5 impaired 1 UE Tests	≥ 2/4 MAS score in LE AND +Clonus OR +Hyperreflexia AND 5/10 Impaired 1 LE tests	≥ 2/4 MAS score in LE AND + Clonus OR + Hyperreflexia AND 6/10 Severe 1 LE tests OR 12/20 Severe BLE tests
Ataxia	4/5 Impaired 1 UE tests AND Ataxic Movements Observed	5/10 Impaired 1 LE tests AND Ataxic Movements Observed	6/10 Severe 1 LE tests OR 12/20 Severe BLE tests AND Ataxic Movements Observed
Athetosis	4/5 Impaired 1 UE tests AND ≥1/4 Athetoid movements observed	5/10 Impaired 1 LE tests AND ≥1/4 Athetoid movements observed	6/10 Severe 1 LE tests OR 12/20 Severe BLE tests AND ≥1/4 Athetoid movements observed

Para Surfing Kneel, Para Surfing Sit, Para Surfing Prone 1 and 2

Surf Class/ Impairment	PS Kneel	PS Sit	PS Prone 1	PS Prone 2
MMT	$\leq 30/60$ 1 LE OR $\leq 80/120$ BLE's AND ≥ 2 ankle motions $\leq 2/5$ MMT	$\leq 60/120$ BLE's AND $\leq 7/10$ Trunk	$\leq 60/120$ BLE's AND $\leq 7/10$ Trunk	$\leq 120/130$ BUE's OR equivalent AND $\leq 40/120$ BLE's AND $\leq 5/10$ Trunk
PROM	$\geq 1/2$ in 1 LE = $\geq 6/12$ LE motions in the 33% range OR $\geq 1/3$ in BLE's = $\geq 8/24$ LE motions in the 33% range AND ≥ 2 joints must be in ankle in the 33% impairment range	$\geq 1/2$ in BLE's = $\geq 12/24$ BLE joint motions in the 33% impairment range	$\geq 1/2$ in BLE's = $\geq 12/24$ BLE joint motions in the 33% impairment range	$\geq 1/2$ in BUE's = $\geq 15/30$ BUE joint motions in 33% impairment range AND $\geq 2/3$ in BLE's = $\geq 16/24$ BLE joint motions in 33% impairment range
Limb Deficiency	AKA \emptyset knee OR Both BKA \emptyset ankles or congenital or functional equivalent	Both AKA \emptyset knees OR Both BKA \emptyset ankles OR 1 AKA & 1 BKA or congenital or functional equivalent	Both AKA \emptyset knees OR Both BKA \emptyset ankles OR 1 AKA & 1 BKA or congenital or functional equivalent	Both AKA \emptyset knees OR Both BKA \emptyset ankles AND ≥ 1 UE amputation or congenital or functional equivalent
Hypertonia	$\geq 2/4$ MAS score AND +Clonus OR + Hyperreflexia AND $6/10$ Severe 1 LE tests OR $12/20$ Severe BLE tests	$\geq 2/4$ MAS score & +Clonus OR + Hyperreflexia AND $8/10$ Severe 1 LE tests OR $16/20$ Severe BLE tests	$\geq 2/4$ MAS score & +Clonus OR + Hyperreflexia AND $8/10$ Severe 1 LE tests OR $16/20$ Severe BLE tests	$\geq 2/4$ MAS score in UE&LE AND +Clonus OR +Hyperreflexia AND $5/5$ Severe 1 UE tests AND $10/10$ Severe 1 LE tests OR $20/20$ Severe BLE tests
Ataxia	$6/10$ Severe LE tests OR $12/20$ Severe BLE tests AND Ataxic Movements Observed	$8/10$ Severe 1 LE tests OR $16/20$ Severe BLE tests AND Ataxic Movements	$8/10$ Severe 1 LE tests OR $16/20$ Severe BLE tests AND Ataxic Movements	$5/5$ Severe UE tests AND $10/10$ Severe 1 LE tests OR $20/20$ Severe BLE tests AND Ataxic Movements Observed
Athetosis	$6/10$ Severe LE tests OR $12/20$ Severe LE tests AND $\geq 1/4$ Athetoid movements observed	$8/10$ Severe 1 LE tests OR $16/20$ Severe BLE tests AND $\geq 1/4$ Athetoid movements observed	$8/10$ Severe 1 LE tests OR $16/20$ Severe BLE tests AND $\geq 1/4$ Athetoid movements observed	$5/5$ Severe UE tests AND $10/10$ Severe 1 LE tests OR $20/20$ Severe BLE tests AND $\geq 1/4$ Athetoid movements observed